

**City of Fairfield, Ohio
Bid Opening - Results**

Project(s): Winton-Ross-Seward Rd. Improvements

Project Estimate: \$1,698,235

Date: April 14, 2014 (City of Fairfield, Council Chambers)

Contractor (Address & Phone)	Base Bid	Addendum (s)	Bid Security	Non-Collusion Affidavit	PP Taxes Affidavit
Barrett Paving Materials 3751 Commerce Drive Middletown, OH 45005 513-422-4662	\$1,649,291.08	Yes	Yes - Bond	Yes	Yes
Mt. Pleasant Blacktopping 3199 Production Drive Fairfield, OH 45014 513-874-3777	\$1,644,632.00	Yes	No	Yes	Yes

** These bids will be reviewed by the Public Works Department and a recommendation will be made to Council. There is no guarantee that the contract will be awarded to the lowest bidder. Contracts are awarded to the bidder deemed to be the best and the lowest bid.

Barrett Paving

CITY OF FAIRFIELD
WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
WINTON ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	30,000.00	30,000.00
202	WALK REMOVED	S.F.	761	2.00	1522.00
202	CURB REMOVED	FT.	1466	8.35	12,241.10
202	GUARDRAIL REMOVED	FT.	600	1.50	900.00
202	CONCRETE PAVEMENT REMOVED (DRIVEWAYS)	S.Y.	688	17.00	11,696.00
203	EXCAVATION	C.Y.	638	39.50	24,563.00
203	EMBANKMENT	C.Y.	63	29.25	1,842.75
204	SUBGRADE COMPACTION	S.Y.	1506	1.85	2,786.10
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	126	110.00	13,860.00
204	GEOGRID, AS PER PLAN	S.Y.	300	6.00	1800.00
606	GUARDRAIL TYPE 5, WITH STEEL POSTS	FT.	388	18.00	6,984.00
606	ANCHOR ASSEMBLY, TYPE T	EACH	3	650.00	1,950.00
606	ANCHOR ASSEMBLY, TYPE E-98, AS PER PLAN	EACH	1	1850.00	1,850.00
608	4" CONCRETE WALK, AS PER PLAN	S.F.	360	4.00	1440.00
608	CURB RAMPS WITH TRUNCATED DOMES, AS PER PLAN	S.F.	825	9.50	7,837.50
638	VALVE BOX ADJUSTED TO GRADE	EACH	22	475.00	10,450.00
638	FIRE HYDRANT ADJUSTED TO GRADE	EACH	5	3,000.00	15,000.00
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	29	200.00	5,800.00
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	4500	1.25	5,625.00
659	TOPSOIL	C.Y.	20	40.00	800.00
DRAINAGE					
602	CONCRETE MASONRY	C.Y.	0.3	1,200.00	360.00
611	12" ADS HP SANITITE CONDUIT	FT.	134	34.00	4,556.00
611	12" RCP CL-IV	FT.	20	48.00	960.00
611	TYPE 2-2B CATCH BASIN	EACH	3	2,400.00	7,200.00
611	MANHOLE ADJUSTED TO GRADE	EACH	32	600.00	19,200.00
611	CATCH BASIN ADJUSTED TO GRADE	EACH	1	700.00	700.00
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	2300	55.00	126,500.00
253	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	1002	4.25	4,258.50
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	45603	1.70	77,525.10
254	3" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	187	3.75	701.25
302	ASPHALT CONCRETE BASE, PG64-22 (DRIVEWAYS)	TONS	6	170.00	1,020.00
302	ASPHALT CONCRETE BASE, PG64-22	TONS	454	60.00	27,240.00
304	AGGREGATE BASE (DRIVEWAYS)	TONS	15	60.00	900.00
304	AGGREGATE BASE	TONS	364	33.00	12,012.00
407	TACK COAT @ 0.075 GAL/S.Y. (DRIVEWAYS)	GAL.	83	2.35	195.05
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	3527	2.35	8,288.45
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	98	86.00	8,428.00
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	3918	70.00	274,260.00
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28 (DRIVEWAYS)	TONS	4	170.00	680.00
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	157	87.00	13,659.00
452	7" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	499	56.00	27,944.00
452	9" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	147	54.00	7,938.00
609	CURB, TYPE 6	FT.	780	27.95	21,801.00
609	CURB REPLACED (IN-KIND)	FT.	239	32.75	7,827.25
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	200	24.95	4,990.00

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
609	COMBINATION CURB AND GUTTER, TYPE 3	FT.	517	18.80	9719.66
SPEC	MEDIAN MISC.: 6" STAMPED CONCRETE	S.Y.	98	135.00	13,230.00
SPEC	MONITORING WELL ADJUSTED TO GRADE	EACH	1	196.95	196.95

TRAFFIC CONTROL

621	RPM, WHITE/CLEAR	EACH	32	16.42	525.44
621	RPM, WHITE/RED	EACH	102	16.42	1674.84
621	RPM, YELLOW/YELLOW	EACH	205	16.42	3366.10
621	RPM, BLUE/BLUE	EACH	47	16.42	771.74
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	147	9.00	1323.00
630	SIGN, FLAT SHEET	S.F.	400	16.06	6400.00
644	EDGE LINE, 4"	MILE	4.03	1790.00	7213.76
644	LANE LINE, 4"	MILE	0.27	875.00	236.25
644	CENTER LINE	MILE	3.12	3540.00	11,044.80
644	CHANNELIZING LINE, 8"	FT.	3162	1.00	3162.00
644	STOP LINE	FT.	194	4.50	873.00
644	CROSSWALK LINE	FT.	594	2.50	1485.00
644	LANE ARROW	EACH	36	65.00	2340.00
644	SCHOOL SYMBOL MARKING, 96"	EACH	2	350.00	700.00
644	TRANSVERSE/DIAGONAL LINE	FT.	361	4.25	1534.25

MAINTENANCE OF TRAFFIC

614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	76,400.00	76,400.00
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOUR	50	80.00	4000.00
614	LANE LINE, 4" TYPE I	MILE	0.27	691.00	186.57
614	CENTER LINE, TYPE I	MILE	3.12	951.00	2967.12
614	CHANNELIZING LINE, 8" TYPE I	FT.	3162	.55	1739.10
614	STOP LINE TYPE I	FT.	194	2.50	485.00
614	SCHOOL SYMBOL MARKING, 96" TYPE I	EACH	2	250.00	500.00
614	LANE LINE, 4" TYPE III	MILE	0.27	461.00	124.47
614	CENTER LINE TYPE III	MILE	3.12	721.00	2249.52
614	CHANNELIZING LINE, 8" TYPE III	FT.	3162	.50	1581.00
614	STOP LINE TYPE III	FT.	194	2.40	465.60
614	SCHOOL SYMBOL MARKING, 96" TYPE III	EACH	2	225.00	450.00

WINTON ROAD TOTAL (Base Bid) **977,062.10**

ALTERNATE 1

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	47060	1.90	89,414.00
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	9412	3.50	32,942.00

TOTAL (Alternate 1) **122,356.00**

ALTERNATE 2

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	47060	3.51	165,180.60
------	--------------------------------------	------	-------	------	------------

TOTAL (Alternate 2) **165,180.60**

ALTERNATE 3

SPEC	ASPHALT REJUVENATING AGENT	S.Y.	47060	.85	40,001.00
------	----------------------------	------	-------	-----	-----------

TOTAL (Alternate 3) **40,001.00**

CITY OF FAIRFIELD
WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
ROSS ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	8000.00	8000.00
202	WALK REMOVED	S.F.	220	2.00	440.00
202	CURB REMOVED	FT.	100	8.35	835.00
202	CONCRETE PAVEMENT REMOVED (DRIVEWAYS)	S.Y.	47	17.00	799.00
203	EXCAVATION	C.Y.	322	39.80	12,815.60
204	SUBGRADE COMPACTION	S.Y.	762	2.00	1524.00
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	64	125.00	8000.00
204	GEOGRID, AS PER PLAN	S.Y.	150	4.00	600.00
608	4" CONCRETE WALK, AS PER PLAN	S.F.	100	4.00	400.00
608	CURB RAMPS WITH TRUNCATED DOMES, AS PER PLAN	S.F.	100	9.50	950.00
638	VALVE BOX ADJUSTED TO GRADE	EACH	4	500.00	2000.00
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	10	200.00	2000.00
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	2000	1.25	2500.00
DRAINAGE					
602	CONCRETE MASONRY	C.Y.	0.3	1300.00	390.00
611	18" RCP CL-III	FT.	53	125.00	6625.00
611	TYPE 2-2A CATCH BASIN	EACH	1	3000.00	3000.00
611	TYPE 2-2B CATCH BASIN	EACH	1	2450.00	2450.00
611	MANHOLE ADJUSTED TO GRADE	EACH	7	600.00	4200.00
611	CATCH BASIN ADJUSTED TO GRADE	EACH	2	680.00	1360.00
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	425	45.00	19,125.00
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	37	2.00	74.00
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	7748	2.00	15,496.00
302	ASPHALT CONCRETE BASE, PG64-22	TONS	228	58.00	13,224.00
304	AGGREGATE BASE	TONS	192	35.00	6720.00
407	TACK COAT @ 0.075 GAL/S.Y. (DRIVEWAYS)	GAL.	3	2.35	7.05
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	631	2.35	1482.85
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	6	98.00	588.00
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	718	72.00	51,696.00
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	67	78.00	5226.00
452	7" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	27	56.00	1512.00
609	CURB, TYPE 6	FT.	300	27.95	8385.00
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	100	24.95	2495.00
SPEC	MEDIAN MISC.: 6" STAMPED CONCRETE	S.Y.	122	135.00	16,470.00
TRAFFIC CONTROL					
621	RPM, WHITE/RED	EACH	12	50.86	610.32
621	RPM, YELLOW/YELLOW	EACH	17	50.86	864.62
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	200	9.00	1800.00
630	SIGN, FLAT SHEET	S.F.	94	16.00	1504.00
644	EDGE LINE, 4"	MILE	0.13	4695.00	610.35
644	CENTER LINE	MILE	0.54	6445.00	3480.30

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
644	CHANNELIZING LINE, 8"	FT.	356	3.10	1103.60
644	STOP LINE	FT.	11	6.60	72.60
644	CROSSWALK LINE	FT.	64	4.60	294.40
644	LANE ARROW	EACH	7	100.00	700.00
644	YIELD LINE	FT.	77	6.95	534.15

MAINTENANCE OF TRAFFIC

614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	10,000.00	10,000.00
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOURL	20	80.00	1600.00
614	CENTER LINE TYPE I	MILE	0.54	1951.00	1053.54
614	CHANNELIZING LINE, 8" TYPE I	FT.	356	.55	195.80
614	STOP LINE TYPE I	FT.	11	2.50	27.50
614	CENTER LINE TYPE III	MILE	0.54	1692.00	913.64
614	CHANNELIZING LINE, 8" TYPE III	FT.	356	.50	178.00
614	STOP LINE TYPE III	FT.	11	2.40	26.40

ROSS ROAD TOTAL (Base Bid) **227,359.76**

ALTERNATE 4

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	8378	2.10	17,593.80
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	1676	3.50	5866.00

TOTAL (Alternate 4) **23,459.80**

ALTERNATE 5

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	8378	4.07	34,098.46
------	--------------------------------------	------	------	------	-----------

TOTAL (Alternate 5) **34,098.46**

ALTERNATE 6

SPEC	ASPHALT REJUVENATING AGENT	S.Y.	8378	.85	7121.30
------	----------------------------	------	------	-----	---------

TOTAL (Alternate 6) **7121.30**

CITY OF FAIRFIELD
WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
SEWARD ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	2500.00	2500.00
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	225	100.00	22,500.00
638	VALVE BOX ADJUSTED TO GRADE	EACH	10	375.00	3750.00
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	9	200.00	1800.00
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	500	1.25	625.00
DRAINAGE					
611	MANHOLE ADJUSTED TO GRADE	EACH	18	550.00	9900.00
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	1650	54.00	89,100.00
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	450	6.25	2812.50
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	2566	4.06	10,264.00
254	3" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	600	17.50	10,500.00
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	2467	2.35	5797.45
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	39	245.00	9555.00
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	2813	75.00	210,975.00
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	111	115.00	12,765.00
TRAFFIC CONTROL					
621	RPM, WHITE/CLEAR	EACH	16	26.91	430.56
621	RPM, WHITE/RED	EACH	55	26.91	1480.05
621	RPM, YELLOW/YELLOW	EACH	14	26.91	376.74
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	300	9.00	2700.00
630	SIGN, FLAT SHEET	S.F.	135	16.00	2160.00
644	EDGE LINE, 4"	MILE	1.53	2127.00	3254.31
644	LANE LINE, 4"	MILE	1.9	1002.00	1903.80
644	CENTER LINE	MILE	0.99	3477.00	3438.23
644	CHANNELIZING LINE, 8"	FT.	903	1.15	1038.45
644	LANE ARROW	EACH	22	70.00	1540.00
644	RAILROAD SYMBOL MARKING	EACH	4	400.00	1600.00
644	WORD ON PAVEMENT, 96"	EACH	6	90.00	540.00
MAINTENANCE OF TRAFFIC					
614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	25,500.00	25,500.00
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOURLY	30	80.00	2400.00
614	LANE LINE, 4" TYPE III	MILE	1.9	607.00	1153.30
614	CENTER LINE TYPE III	MILE	0.99	867.00	858.33
614	CHANNELIZING LINE, 8" TYPE III	FT.	903	.50	451.50
614	RAILROAD SYMBOL MARKING TYPE III	EACH	4	200.00	800.00

SEWARD ROAD TOTAL (Base Bid) 444,869.22

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX QTY.	UNIT COST	TOTAL COST
----------	-------------	-----------------	-------------	-----------	------------

ALTERNATE 7

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	32897	1.85	60,859.45
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	6580	3.50	23,030.00

TOTAL (Alternate 7) **83,889.45**

ALTERNATE 8

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	32897	3.59	118,100.23
------	--------------------------------------	------	-------	------	------------

TOTAL (Alternate 8) **118,100.23**

ALTERNATE 9



SPEC	ASPHALT REJUVENATING AGENT	S.Y.	32897	.85	27,962.45
------	----------------------------	------	-------	-----	-----------

TOTAL (Alternate 9) **27,962.45**

THE CITY OF FAIRFIELD RESERVES THE RIGHT TO DELETE OR CHANGE THE QUANTITY OF ANY ITEM LISTED ABOVE.

TOTAL BASE BID 1,649,291.08
CONSIDERATION FOR MATERIAL 825,251.08
CONSIDERATION FOR LABOR 824,040.00
TOTAL LABOR AND MATERIAL 1,649,291.08
TOTAL AMOUNT WRITTEN IN WORDS One Million Six Hundred

The undersigned, having full knowledge of the site, plans and specifications for the above improvement and the conditions of this proposal, hereby agrees to furnish all services, labor, materials, and equipment necessary to complete the entire project according to the plans, specifications and completion date, and to accept the unit prices specified on the bid form for each item as full compensation for the work in this proposal.

		Signature
Jeremy Sleva	Bryan Mount	Name
Regional Manager	Estimator	Title
Barrett Paving Materials Inc.		Company
3751 Commerce Drive		Address
Middletown, Ohio 45005		City/State/Zip
(513) 422-4662		Telephone
13-3003901		S.S. # of Company Owner/or Federal I.D. #

Note: Please indicate type of bid security:

Bid Bond Certified Check Cashier's Check

Addenda Received: No. 1 Yes No

Work will start within fifteen (15) days after Notice to Proceed.

All paving work shall be completed by November 1, 2014. All work shall be completed by December 1, 2014

Liquidated damages, as pursuant to Section E 15.3 of these specifications and Section 108.07 of the ODOT Construction and Materials Specifications, will be \$1000.00 per day.

Mt. Pleasant

CITY OF FAIRFIELD
 WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
 WINTON ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	10000	10000
202	WALK REMOVED	S.F.	761	050	38050
202	CURB REMOVED	FT.	1466	6	8796
202	GUARDRAIL REMOVED	FT.	600	1	600
202	CONCRETE PAVEMENT REMOVED (DRIVEWAYS)	S.Y.	688	4	2752
203	EXCAVATION	C.Y.	638	25	15950
203	EMBANKMENT	C.Y.	63	5	315
204	SUBGRADE COMPACTION	S.Y.	1506	1	1506
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	126	35	4410
204	GEOGRID, AS PER PLAN	S.Y.	300	650	1950
606	GUARDRAIL TYPE 5, WITH STEEL POSTS	FT.	388	3250	12610
606	ANCHOR ASSEMBLY, TYPE T	EACH	3	1650	4950
606	ANCHOR ASSEMBLY, TYPE E-98, AS PER PLAN	EACH	1	1850	1850
608	4" CONCRETE WALK, AS PER PLAN	S.F.	360	950	3420
608	CURB RAMPS WITH TRUNCATED DOMES, AS PER PLAN	S.F.	825	1450	11,962.50
638	VALVE BOX ADJUSTED TO GRADE	EACH	22	125	2750
638	FIRE HYDRANT ADJUSTED TO GRADE	EACH	5	850	4250
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	29	250	7250
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	4500	2	9000
659	TOPSOIL	C.Y.	20	50	1000
DRAINAGE					
602	CONCRETE MASONRY	C.Y.	0.3	1500	450
611	12" ADS HP SANITITE CONDUIT	FT.	134	125	16750
611	12" RCP CL-IV	FT.	20	150	3000
611	TYPE 2-2B CATCH BASIN	EACH	3	1200	3600
611	MANHOLE ADJUSTED TO GRADE	EACH	32	125	4000
611	CATCH BASIN ADJUSTED TO GRADE	EACH	1	350	350
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	2300	45	103,500
253	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	1002	145	145290
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	45603	145	661243.50
254	3" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	187	245	45815
302	ASPHALT CONCRETE BASE, PG64-22 (DRIVEWAYS)	TONS	6	90	540
302	ASPHALT CONCRETE BASE, PG64-22	TONS	454	90	40,860
304	AGGREGATE BASE (DRIVEWAYS)	TONS	15	20	300
304	AGGREGATE BASE	TONS	364	20	7,280
407	TACK COAT @ 0.075 GAL/S.Y. (DRIVEWAYS)	GAL.	83	1	83
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	3527	1	3257
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	98	90	8820
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	3918	90	352,620
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28 (DRIVEWAYS)	TONS	4	90	360
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	157	90	14,130
452	7" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	499	65	32,435
452	9" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	147	75	11,025
609	CURB, TYPE 6	FT.	780	38	29,640
609	CURB REPLACED (IN-KIND)	FT.	239	38	9,082
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	200	38	7,600

ITEM NO.	DESCRIPTION	UNIT MEASURE	APPROX QTY	UNIT COST	TOTAL COST
609	COMBINATION CURB AND GUTTER, TYPE 3	FT.	517	38	19,646
SPEC	MEDIAN MISC.: 6" STAMPED CONCRETE	S.Y.	98	165	16,170
SPEC	MONITORING WELL ADJUSTED TO GRADE	EACH	1	325	325

TRAFFIC CONTROL

621	RPM, WHITE/CLEAR	EACH	32	18	396
621	RPM, WHITE/RED	EACH	102	18	1,836
621	RPM, YELLOW/YELLOW	EACH	205	18	3,690
621	RPM, BLUE/BLUE	EACH	47	18	846
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	147	10	1,470
630	SIGN, FLAT SHEET	S.F.	400	17	6,800
644	EDGE LINE, 4"	MILE	4.03	1,900	7,657
644	LANE LINE, 4"	MILE	0.27	960	2,592
644	CENTER LINE	MILE	3.12	3,900	12,168
644	CHANNELIZING LINE, 8"	FT.	3162	1	3,162
644	STOP LINE	FT.	194	5	970
644	CROSSWALK LINE	FT.	594	270	160,380
644	LANE ARROW	EACH	36	71	2,556
644	SCHOOL SYMBOL MARKING, 96"	EACH	2	380	760
644	TRANSVERSE/DIAGONAL LINE	FT.	361	450	1,624.50

MAINTENANCE OF TRAFFIC

614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	65,000	65,000
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOUR	50	65	3,250
614	LANE LINE, 4" TYPE I	MILE	0.27	760	205.20
614	CENTER LINE, TYPE I	MILE	3.12	1,000	3,120
614	CHANNELIZING LINE, 8" TYPE I	FT.	3162	0.60	1,897.20
614	STOP LINE TYPE I	FT.	194	272	53,350
614	SCHOOL SYMBOL MARKING, 96" TYPE I	EACH	2	275	550
614	LANE LINE, 4" TYPE III	MILE	0.27	507	136.89
614	CENTER LINE TYPE III	MILE	3.12	795	2,480.40
614	CHANNELIZING LINE, 8" TYPE III	FT.	3162	0.55	1,739.10
614	STOP LINE TYPE III	FT.	194	2.65	514.10
614	SCHOOL SYMBOL MARKING, 96" TYPE III	EACH	2	250	500

WINTON ROAD TOTAL (Base Bid) 985,285²⁹

ALTERNATE 1

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	47060	350	164,710
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	9412	1	9,412

TOTAL (Alternate 1) 174,122

ALTERNATE 2

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	47060	350	164,710
------	--------------------------------------	------	-------	-----	---------

TOTAL (Alternate 2) 164,710

ALTERNATE 3

SPEC	ASPHALT REJUVENATING AGENT	S.Y.	47060	1	47,060
------	----------------------------	------	-------	---	--------

TOTAL (Alternate 3) 47,060

CITY OF FAIRFIELD
WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
ROSS ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	2500	2500
202	WALK REMOVED	S.F.	220	050	110
202	CURB REMOVED	FT.	100	6	600
202	CONCRETE PAVEMENT REMOVED (DRIVEWAYS)	S.Y.	47	4	188
203	EXCAVATION	C.Y.	322	25	8050
204	SUBGRADE COMPACTION	S.Y.	762	1	762
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	64	35	2240
204	GEOGRID, AS PER PLAN	S.Y.	150	5	750
608	4" CONCRETE WALK, AS PER PLAN	S.F.	100	950	950
608	CURB RAMPS WITH TRUNCATED DOMES, AS PER PLAN	S.F.	100	1450	1450
638	VALVE BOX ADJUSTED TO GRADE	EACH	4	125	500
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	10	250	2500
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	2000	2	4000
DRAINAGE					
602	CONCRETE MASONRY	C.Y.	0.3	1500	450
611	18" RCP CL-III	FT.	53	165	8745
611	TYPE 2-2A CATCH BASIN	EACH	1	1200	1200
611	TYPE 2-2B CATCH BASIN	EACH	1	1200	1200
611	MANHOLE ADJUSTED TO GRADE	EACH	7	125	875
611	CATCH BASIN ADJUSTED TO GRADE	EACH	2	350	700
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	425	45	19125
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	37	145	5365
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	7748	145	11,234
302	ASPHALT CONCRETE BASE, PG64-22	TONS	228	90	20520
304	AGGREGATE BASE	TONS	192	90	17280
407	TACK COAT @ 0.075 GAL/S.Y. (DRIVEWAYS)	GAL.	3	1	3
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	631	1	631
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	6	90	540
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	718	90	64,620
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	67	90	6,030
452	7" NON-REINFORCED CONCRETE PAVEMENT	S.Y.	27	65	1755
609	CURB, TYPE 6	FT.	300	38	11,400
609	COMBINATION CURB AND GUTTER, TYPE 2	FT.	100	38	3800
SPEC	MEDIAN MISC.: 6" STAMPED CONCRETE	S.Y.	122	175	21,350
TRAFFIC CONTROL					
621	RPM, WHITE/RED	EACH	12	18	216
621	RPM, YELLOW/YELLOW	EACH	17	18	306
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	200	10	2000
630	SIGN, FLAT SHEET	S.F.	94	18	1692
644	EDGE LINE, 4"	MILE	0.13	1900	247
644	CENTER LINE	MILE	0.54	960	5184

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
644	CHANNELIZING LINE, 8"	FT.	356	1	356
644	STOP LINE	FT.	11	5	55
644	CROSSWALK LINE	FT.	64	272	17290
644	LANE ARROW	EACH	7	71	497
644	YIELD LINE	FT.	77	8	616

MAINTENANCE OF TRAFFIC

614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	20000	20000
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOUR	20	65	1300
614	CENTER LINE TYPE I	MILE	0.54	1900	1026
614	CHANNELIZING LINE, 8" TYPE I	FT.	356	0.60	21360
614	STOP LINE TYPE I	FT.	11	2.50	27.50
614	CENTER LINE TYPE III	MILE	0.54	1700	918
614	CHANNELIZING LINE, 8" TYPE III	FT.	356	0.50	178
614	STOP LINE TYPE III	FT.	11	2.40	26.40

ROSS ROAD TOTAL (Base Bid) **246,477.4**

ALTERNATE 4

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	8378	3.50	29,323
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	1676	1	1676

TOTAL (Alternate 4) **30,999**

ALTERNATE 5

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	8378	3.50	29,323
------	--------------------------------------	------	------	------	--------

TOTAL (Alternate 5) **29,323**

ALTERNATE 6

SPEC	ASPHALT REJUVENATING AGENT	S.Y.	8378	1	8,378
------	----------------------------	------	------	---	-------

TOTAL (Alternate 6) **8,378**

CITY OF FAIRFIELD
WINTON-ROSS-SEWARD ROAD IMPROVEMENTS
SEWARD ROAD BID

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
ROADWAY					
202	REMOVED, AS PER PLAN	LUMP	1	5000	5000
204	EXCAVATION OF SUBGRADE AND STRUCTURAL EMBANKMENT, AS PER PLAN	C.Y.	225	25	5625
638	VALVE BOX ADJUSTED TO GRADE	EACH	10	125	1250
SPEC	MAILBOX SUPPORT SYSTEM (SINGLE)	EACH	9	250	2250
EROSION CONTROL					
659	SEEDING AND MULCHING, AS PER PLAN	S.Y.	500	2	1000
DRAINAGE					
611	MANHOLE ADJUSTED TO GRADE	EACH	18	125	2250
PAVEMENT					
253	PAVEMENT REPAIR, AS PER PLAN	S.Y.	1650	45	74250
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE (DRIVEWAYS)	S.Y.	450	145	65250
254	1-1/2" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	2566	145	372070
254	3" PAVEMENT PLANING, ASPHALT CONCRETE	S.Y.	600	245	1470
407	TACK COAT @ 0.075 GAL/S.Y.	GAL.	2467	1	2467
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448) (DRIVEWAYS)	TONS	39	90	3510
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A, (448)	TONS	2813	90	253170
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-28	TONS	111	90	9990
TRAFFIC CONTROL					
621	RPM, WHITE/CLEAR	EACH	16	18	288
621	RPM, WHITE/RED	EACH	55	18	990
621	RPM, YELLOW/YELLOW	EACH	14	18	252
630	GROUND MOUNTED SUPPORT, No. 3 POST	FT.	300	10	3000
630	SIGN, FLAT SHEET	S.F.	135	18	2430
644	EDGE LINE, 4"	MILE	1.53	1900	2907
644	LANE LINE, 4"	MILE	1.9	960	1824
644	CENTER LINE	MILE	0.99	3900	3861
644	CHANNELIZING LINE, 8"	FT.	903	1	903
644	LANE ARROW	EACH	22	71	1562
644	RAILROAD SYMBOL MARKING	EACH	4	200	800
644	WORD ON PAVEMENT, 96"	EACH	6	75	450
MAINTENANCE OF TRAFFIC					
614	MAINTAINING TRAFFIC, AS PER PLAN	LUMP	1	20000	20000
614	LAW ENFORCEMENT OFFICER W/PATROL CAR	HOURLY	30	65	1950
614	LANE LINE, 4" TYPE III	MILE	1.9	960	1824
614	CENTER LINE TYPE III	MILE	0.99	1900	1881
614	CHANNELIZING LINE, 8" TYPE III	FT.	903	60	54180
614	RAILROAD SYMBOL MARKING TYPE III	EACH	4	200	800

SEWARD ROAD TOTAL (Base Bid) 412,869

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QTY.	UNIT COST	TOTAL COST
----------	-------------	-----------------	--------------	-----------	------------

ALTERNATE 7

SPEC	NON-WOVEN FIBERGLASS/POLYESTER INTERLAYER PAVING MAT	S.Y.	32897	3 ⁵⁰	115,139 ⁵⁰
407	TACK COAT FOR PAVING MAT @ 0.20 GAL/S.Y.	GAL.	6580	1 ⁻	6,580 ⁻

TOTAL (Alternate 7) **121,719⁵⁰**

ALTERNATE 8

SPEC	FIBER REINFORCED BITUMINOUS MEMBRANE	S.Y.	32897	3 ⁵⁰	118,429 ⁵⁰
------	--------------------------------------	------	-------	-----------------	-----------------------

TOTAL (Alternate 8) **118,429⁵⁰**

ALTERNATE 9


SPEC	ASPHALT REJUVENATING AGENT	S.Y.	32897	1 ⁻	32,897 ⁻
------	----------------------------	------	-------	----------------	---------------------

TOTAL (Alternate 9) **32,897⁻**

THE CITY OF FAIRFIELD RESERVES THE RIGHT TO DELETE OR CHANGE THE QUANTITY OF ANY ITEM LISTED ABOVE.

TOTAL BASE BID 1,644,632⁻
CONSIDERATION FOR MATERIAL 822,316⁰⁰
CONSIDERATION FOR LABOR 822,316⁶⁰
TOTAL LABOR AND MATERIAL 1,644,632⁻
TOTAL AMOUNT WRITTEN IN WORDS ONE MILLION, SIX HUNDRED FORTY FOUR THOUSAND, SIX HUNDRED THIRTY TWO *24/100*

The undersigned, having full knowledge of the site, plans and specifications for the above improvement and the conditions of this proposal, hereby agrees to furnish all services, labor, materials, and equipment necessary to complete the entire project according to the plans, specifications and completion date, and to accept the unit prices specified on the bid form for each item as full compensation for the work in this proposal.

 Signature
BENJAMIN P. HOUSE Name
PRESIDENT Title
MT. PLEASANT BLACKTOPPING Co. Inc. Company
3199 PRODUCTION DRIVE Address
FAIRFIELD OHIO 45014 City/State/Zip
513 874 3777 Telephone
31-0654767 S.S. # of Company Owner/or Federal I.D. #

Note: Please indicate type of bid security:

Bid Bond Certified Check Cashier's Check

Addenda Received: No. 1 Yes No *only*

Work will start within fifteen (15) days after Notice to Proceed.

All paving work shall be completed by November 1, 2014. All work shall be completed by December 1, 2014

Liquidated damages, as pursuant to Section E 15.3 of these specifications and Section 108.07 of the ODOT Construction and Materials Specifications, will be \$1000.00 per day.