

CITY OF FAIRFIELD
LEGISLATION SUMMARY NO. 8-2013

Following is a summary of legislation adopted by the Fairfield City Council on April 22, 2013. A complete text may be viewed at the following Fairfield locations: Fairfield Municipal Building (Room 138), Fairfield Lane Public Library, Fairfield YMCA, Fairfield Community Arts Center, and the Wildwood Manor House.

- Res. 5-13 Resolution opposing the Ohio General Assembly's Passage of House Bill 5, which would mandate measures resulting in the substantial loss of revenue to cities and declaring an emergency.
- Ord. 36-13 Amend various sections of the Zoning Code of Ordinance No. 166-84, the Codified Ordinances of Fairfield, Ohio.
- Ord. 37-13 Contract with Fuller Ford, Inc. for the purchase of two (2) trucks and one (1) Ford Focus and declaring an emergency.
- Ord. 38-13 Appropriation Ordinance (Contractual Items) - \$86,887 for purchase of vehicles from Fuller Ford, Inc.; \$60,000 for engineering services related to the design of the Pleasant Avenue Water Main Project.
- Ord. 39-13 Appropriation Ordinance (Non-Contractual Items) - \$9,475 for evidence drying cabinet for Police Department; \$7,400 for professional services for pressure washing Mack Road and part of Hunter Road water storage towers; \$13,600 for purchase of replacement UV lamps for Ultraviolet Disinfection System at Wastewater Treatment Plant; \$13,750 for purchase and installation of boiler tubes for Wastewater Treatment Plant's primary boiler; \$16,600 for purchase of chemicals to remove roots from public sewer lines; \$2,800 Flow Testing Services for water production wells; \$40,000 Engineering services for the Seward No. 1 Lift Station Relocation; \$15,000 Miscellaneous Traffic Signal Upgrades/Spare Parts; \$8,900 Purchase of a Z-Spray Intermediate 18 gallon Spray Tank, 220 lb. hydraulic spreader for the Golf Maintenance Division; \$13,600 Purchase of signs for William Harbin Park on Hunter Road.

Alisha Wilson
Clerk of Council

Please insert in the Journal News on Friday, April 26, 2013.